## PEGA RACK AND PINION INDUSTRIAL ELEVATOR

# PIONEER IN INNOVATION QUALITY - RELIABILITY - USER FRIENDLY

PEGA "PLC" - Programmable Landing Control for exact stops


PEGA "LDS" - Load Detection System - brings up to 70% lower power consumption and higher speed

PEGA "FIS" - Fault Indication System

### PEGA IL 0413 TD VFC

TECHNICAL DATA		
Payload capacity	lb	1000
Passengers		5
Speed	ft/min	0 -150
Lifting height	ft	650
Tie spacing	ft	5 - 30
CAR DIMENSIONS		
Internal width x length		2'-9" x 4'-3"
Internal height		7'-3"
Door openning		2'-0" x 6'-8"
ELECTRICAL DATA		
Power supply range		480V 60Hz 3Ph
Power supply fuse		32A
Power consumption		16kVA
WEIGHTS		
Car weight	lb	2200
Mast section with 1 rack Z/P/A	lb	160/255/275
Mast section height		4'-11.4"





## **GENERAL**

The lift is equipped with frequency controlled drive and programmable control system.

Different masts and tie systems to meet all kind of application demands.

Car and landing doors manual with electrical and mechanical inter-locks certified/approved.

Cable trolley system.

Single or selective collective automatic control system, emergency lowering system.

The above specification may vary based on country and region of delivery.

Norms and regulations: ANSI A10.4 or ASME A17.1

#### **CONTROL SYSTEM**

Push button control, floor call system.

## **CONSULT - SALE - SERVICE**

#### PEGA HOIST Ltd.

Fáblovka 547

CZ – 533 52 Pardubice Tel.: +420 466 536 348-50

Fax.: +420 466 536 351 E-mail: info@pega-hoist.com

www.pega-hoist.com

