



LEM4825

TECHNICAL SPECIFICATION

LEM4825

The LEM 4825 mini crusher is a reliable stationary jaw crusher. Powered by an electric motor, it is easy to carry and operate. For a fact, it is a “plug and play” machine: simply connecting the power plug to the power line makes it immediately ready to use. The Komplet LEM 4825 crusher is an affordable solution with a high production rate, it is suitable for both small and medium-sized companies that do not want to invest too much time and resources for the recovery and recycling of building material.

1. CRUSHER
2. FEEDER
3. PRODUCT CONVEYOR
4. CONTROL SYSTEM



CRUSHER

TECHNICAL DATA

JAW CRUSHER

Crusher dimension
480x250 mm

Jaw adjustment
Hydraulic

Granulometry
15-80 mm

FEEDING: BELT WITH HOPPER

Length
2500 mm

Width
500 mm

Hopper Capacity
0,5 m³

Loading Height
2000 mm

EXTRACTING BELT

Length
4000 mm

Width
400 mm

Pile height
1750 mm

CRUSHER ELECTRIC MOTOR

Power
7,5 kW

Power supply
380/50-60 V/Hz

Pick up
15/18 kW

PERFORMANCE

Production
5-30 T/h

Max size
300 mm

Standard weight
2100 kg



ELECTRIC PANEL


Complete with all controls placed on board.

ACCESSORIES

- Magnetic roller.
- Dust dumping system.

TRANSPORT DIMENSION

Length 4000 mm
 Width 1270 mm
 Height 2500 mm



TRANSPORT DIMENSION & WORKING DIMENSION

