

WEAR PARTS, ADAPTABLE TEETH AND ADAPTERS



www.samep.net

Teeth 2017

TT System
suitable for CAT

Teeth suitable
for Helix system

Adaptable Teeth



TOUGH TEETH BY



Innovation in demolition

Please contact our sales office
in order to get your discount on tools and to know our offers concerning spare parts and Teeth!



www.samep.net



España



...Thanks

Teeth

i n d e x

TT System suitable for CAT	Pg. 4
Adaptable Teeth	Pg. 4-5
Adapters	Pg. 6
Caterpillar Pins and Rings	Pg. 7
Tooth suitable for SD Helix System	Pg. 8
Tooth suitable for CAT	Pg. 9



TOUGH TEETH BY



TT System suitable for CAT



P



L



V



Reference	Type	Weight Kg
TT30P	Tooth T-30 Penetration	4,50
TT35P	Tooth T-35 Penetration	6,90
TT45P	Tooth T-45 Penetration	12,90
TT55P	Tooth T-55 Penetration	20,20
TT30L	Tooth T-30 SYL	4,80
TT35L	Tooth T-35 SYL	7,35
TT60V	Tooth T-60 Vip Penetration	29,00
TT60PR	Tooth T-60 Extra Penetration	40,00
TT70PR	Tooth T-70 Extreme Penetration	33,00

Adaptable Teeth



Reference	Type	Weight Kg
1U3202	Tooth (8J6202)	1,10
1U3252	Tooth Cat T-25 Std	3,20
1U3302	Tooth Cat T-30 Std	4,60
1U3352	Tooth Cat T-35 Std	6,20
9W8452	Tooth Cat T-45 Std	11,40



R

Reference	Type	Weight Kg
1U3202R	Tooth T-20 R Std	1,30
1U3252R	Tooth T-25 R Std	2,60
1U3302R	Tooth T-30 R Std	4,00
1U3352R	Tooth T-35 R Std	5,80
7T3402R	Tooth T-40 R Std	9,00
9W8452R	Tooth T-45 R Std	11,20
9W8552R	Tooth T-55 R Std	19,20

Reference	Type	Weight Kg
9W8459	Tooth Penetration T-46	9,90
9W8559	Tooth Penetration T-55	14,20
6I7609	Tooth Penetration T-60	27,00

Samep Tools Italia Via Vajont, 78 - 10098 Rivoli (To) - Italy

Tel +39 011.408.17.10 r.a. Fax +39 011.958.85.44 - www.samep.net info@samep.net



Samep Tools España Pol. Ind. Centrovía C/ Nicaragua 8, Nave 13 - 50198 La Muela - Zaragoza

Tel: 976 14.91.02 Fax: 976.02.00.24 - www.samep.es iberica@samep.es

Adaptable Teeth

Reference	Type	Weight Kg
4K0034	Long Tooth	2,20
4K6936	Long Tooth	1,40
4K0041	RIng	
4K0043	Pin	



Reference	Type	Weight Kg
4T2303PT	Tooth T-30 Abrasion	7,75
4T2353PT	Tooth T-35 Abrasion	10,40
7T3402PT	Tooth T-40 Abrasion	13,70
9W1453PT	Tooth T-45 Abrasion	23,10
9W1553PT	Tooth T-55 Abrasion	26,40

PT



Reference	Type	Weight Kg
1U3352RC	Tooth T-35 Rock chisel	7,60
1U3402RC	Tooth T-40 Rock chisel	11,00
1U3452RC	Tooth T-45 Rock chisel	14,00
1U3552RC	Tooth T-55 Rock chisel	27,25
6I6602RC	Tooth T-60 Rock chisel	40,70

RC



Reference	Type	Weight Kg
1U3352TL	Tooth T-35 Vip Penetration	5,00
1U3402TL	Tooth T-40 Vip Penetration	9,34
1U3452TL	Tooth T-45 Vip Penetration	11,50
1U3552TL	Tooth T-55 Vip Penetration	19,00
6I6602TL	Tooth T-60 Vip Penetration	29,00

TL



Samep Tools Italia Via Vajont, 78 - 10098 Rivoli (To) - Italy

Tel +39 011.408.17.10 r.a. Fax +39 011.958.85.44 - www.samep.net info@samep.net

Samep Tools España Pol. Ind. Centrovía C/ Nicaragua 8, Nave 13 - 50198 La Muela - Zaragoza

Tel: 976 14.91.02 Fax: 976.02.00.24 - www.samep.es iberica@samep.es

Adapters



Reference	Type	Weight Kg
P18	Adapter (4K0034)	3,10
P23	Adapter (4K6936)	2,40
8J7525	Adapter T-20	1,60
6Y3254	Adapter T-25	4,60
3G6304HD	Adapter T-30	7,30
3G8354HD	Adapter T-35	10,30
6I6404	Adapter T-40	13,65
6I6464	Adapter T-46	21,00
6I6554	Central Adapter T-55	32,50
6I6604	Central Adapter T-60	48,00
6I6605	Left Adapter	47,00
6I6606	Right Adapter	47,00
4T4704	Adapter T-70 (Blade 70-75)	52,00
4T4704E	Central Adapter T-70 (Blade 90)	52,00

Ripper



Reference	Type	Weight Kg
25R12	Ripper tooth	5,80
39RH17E	Ripper tooth	19,50
4T4453	Ripper tooth	21,00
4T5502	Ripper tooth	27,70
4T4503	Ripper tooth	31,00
6Y0359	Ripper tooth	11,00
1U0740	Wear cup	22,50
8E1848	Wear cup	23,50

Various



Reference	Type	Weight Kg
53103205	Bolt on tooth JCB	2,50
53103208	Left side cutter JCB	5,50
53103209	Right side cutter JCB	5,50
207-70-14142	Adapter for Komatsu	14,80
207-70-14151RE	Tooth for Komatsu	9,30
TT25RC10	DRP tooth 25RC10	5,65

Samep Tools Italia Via Vajont, 78 - 10098 Rivoli (To) - Italy

Tel +39 011.408.17.10 r.a. Fax +39 011.958.85.44 - www.samep.net info@samep.net

Caterpillar Pins and Rings

Reference	Type
Size 20 8E6208 8E6209	Pin Ring
Size 25 8E6258 8E6259	Pin Ring
Size 30 9J2308 8E6259	Pin Ring
Size 35 8E6358 8E6359	Pin Ring
Size 40 7T3408 8E8409	Pin Ring
Size 46 8E0468 8E8469	Pin Ring
Size 55 6Y8558 8E5559	Pin Ring
Size 60 6I6608 6I6609	Pin Ring
Size 70 4T - 4708 4T - 4707	Pin Ring
Size 80 134 - 1808 134 - 1809	Pin Ring



Teeth suitable for SD Helix System

Reference	Type	Weight Kg
V13		
T1540/31TLR	Tooth	0,90
T31/71PN	Pin	
V17		
T1540/71TLR	Tooth	1,15
T31/71PN	Pin	
V19		
T1540/91TLR	Tooth	2,15
T19/32PN	Pin	
V23		
T1540/32TLR	Tooth	3,30
T19/32PN	Pin	
V29		
T1540/92TLR	Tooth	4,50
T1540/92PR	Tooth	5,00
T29PN	Pin	
V33		
T1540/33TLR	Tooth	6,60
T1540/33PR	Tooth	7,50
T33PN	Pin	
V39		
T1540/93TLR	Tooth	9,40
T1540/93PR	Tooth	10,75
T93PN	Pin	
V43		
T1540/34TLR	Tooth	12,60
T1540/34PR	Tooth	14,50
T34PN	Pin	
V51		
T1540/15TLR	Tooth	15,70
T1540/15PR	Tooth	17,50
T15PN	Pin	
V59		
T1540/95TLR	Tooth	21,50
T1540/95PR	Tooth	25,40
T95PN	Pin	
V61		
T1540/16TLR	Tooth	26,50
T1540/16PR	Tooth	27,50
T16PN	Pin	

PR = SDX
TLR = SYL

PR



TLR



Samep Tools Italia Via Vajont, 78 - 10098 Rivoli (To) - Italy

Tel +39 011.408.17.10 r.a. Fax +39 011.958.85.44 - www.samep.net info@samep.net



Samep Tools España Pol. Ind. Centrovía C/ Nicaragua 8, Nave 13 - 50198 La Muela - Zaragoza


Tel: 976 14.91.02 Fax: 976.02.00.24 - www.samep.es iberica@samep.es

Teeth suitable for CAT

Teeth		
Reference	Type	Weight Kg
AF3252L	Standard	3,30
AF7259V	Penetration	2,90
8E6258	Pin	
8E6259	Ring	
AF3302L	Standard	4,90
AF3302P	Penetration	4,00
AF2303A	Abrasion	6,00
AF4303A	Abrasion	8,00
AF7309V	Penetration	5,30
9J2308	Pin	
8E6259	Ring	
AF3352L	Standard	6,70
AF3352P	Penetration	6,40
AF2353A	Abrasion	8,70
AF4353A	Abrasion	9,70
AF7359V	Penetration	6,50
AF2353HD	Super Abrasion	9,23
AF3402P	Penetration	11,80
AF3402SP	Reinforced Abrasion	15,40
AF5409HD	Super Abrasion	14,45
AF7409V	Penetration	8,00

Teeth		
Reference	Type	Weight Kg
AF3452L	Standard	13,00
AF3452PR	Penetration	12,30
AF4453A	Abrasion	19,20
AF1453HD	Super Abrasion	19,25
AF6452SP	Reinforced Abrasion	18,20
1U3452T	Abrasion	13,00
1U3452WTL	Double penetration	14,40
9W8452	Abrasion	12,50
1U3452FHX	Standard	16,00
AF8552L	Standard	20,20
AF8552PR	Reinforced Penetration	20,20
AF1553A	Abrasion	28,00
AF4553A	Abrasion	30,00
AF8553HD	Super Abrasion	32,00
AF8552SP	Reinforced Abrasion	32,00
1U3552T	Abrasion	15,70
1U3552WTL	Double penetration	18,20
9W1553PTR	Super Abrasion	31,00
AF7609V	Penetration	26,00
AF7609PR	Reinforced Penetration	33,50
AF4603SP	Reinforced Abrasion	49,20
6I6602WT	Double penetration	37,00
AF4709V	Penetration	38,00
AF4709PR	Reinforced Penetration	41,00
AF4703SP	Reinforced Abrasion	55,60

J-45 PR



J-45 L



Samep Tools Italia Via Vajont, 78 - 10098 Rivoli (To) - Italy

Tel +39 011.408.17.10 r.a. Fax +39 011.958.85.44 - www.samep.net info@samep.net

Samep Tools España Pol. Ind. Centrovía C/ Nicaragua 8, Nave 13 - 50198 La Muela - Zaragoza

Tel: 976 14.91.02 Fax: 976.02.00.24 - www.samep.es iberica@samep.es

